



चौधरी रणबीर सिंह विश्वविद्यालय, जींद
Chaudhary Ranbir Singh University, Jind
(Established by the State Legislature Act 28 of 2014
And recognized U/S 2(f) & 12-B by UGC Act 1956)



NOTICE INVITING QUOTATIONS

Subject: Renovations of old building near Main Gate at CRSU, Jind.

Sealed quotations under registered post are invited from contractors/societies/firms for Renovations of old building near Main Gate at CRSU, Jind. The quotation is to be submitted in office the Registrar, CRSU, Jind latest by 17/07/2023 up to 05:00 P.M. duly superscripted on the envelope "**Renovations of old building near Main Gate**". The quotations will be opened on dt. 19/07/2023 at 03:00 P.M. in the office of Estate Officer, CRSU.

Note:

- (i) Quotations should be in favour of Registrar, CRSU, Jind.
- (ii) The quotationer must read and agree all the terms and conditions and submit duly signed and stamped copy of the same along with quotation.

Estate Officer

Endst.No. CRSU/Const./2023/.....¹⁶⁴⁻¹⁶⁸

Dated ^{26/06/2023}

1. System Analyst, CRSU Jind with request to upload the same on University website.
2. The Manager, the Jind District Co-operative Labour and Construction Federation Ltd., Jind.
3. DPRO, CRSU, Jind with request to upload the same on University Facebook page.
4. PS to VC (for kind information of the Hon'ble Vice Chancellor), CRSU, Jind.
5. PA to Registrar (for kind information of the Worthy Registrar), CRSU Jind.

SDO- Civil

Terms & Conditions (To be submitted along with Quotation)

1. SIGNING OF QUOTATION:

The quotations must be signed by authorized signatory of the bidding Manufacturers and Suppliers/firms on each page, along with seal of the Manufacturers and Suppliers/firms.

2. Conditional Quotation:

Conditional quotations are not acceptable. Hence the supplier is advised neither to alter the specifications nor to mention anything on the quotation form, except cost, signature with seal, otherwise quotation will not be considered.

3. Delivery Destination:

The quotations must be quoted as F.O.R., CRSU, Jind i.e. no separate payment will be made for transit insurance and freight charges etc.

4. Delivery Acceptance:

The work is to be handed over to the Construction Branch, CRSU. However, the work will be deemed accepted subject to the approval by the concerned Inspection Committee, CRSU, Jind. In case of rejection of the work, the supplier/agency should immediately remove the consignment from the University premises at its own, failing which it will remain there at the risk and responsibility of the supplier and University will not be responsible for any kind of liability in this regard.

5. Delivery Period:

The work is to be completed within 45 days from the receipt of the work order. However, in case of imported goods this time limit will be 90 days.

6. Delivery Period Extension:

The work order (s) shall be executed within the time specified in this regard. However, in case of force Majeure/reasons beyond control of the supplier, he may make a written request to the Vice Chancellor for grant of extension for delivery period. The written request in this regard should clearly spell out such reason.

The Vice Chancellor, if he is satisfied with such reason and further that he requested extension will not be detrimental to the interests of the University, may grant extension for a reasonable period for delivery of the goods. The supplier would be required to indemnify the University against any loss on account of downfall of the price during the extended period.

7. Penalty for delayed supply:

In the event of the delayed supply/work, if accepted, the Registrar will be competent to impose penalty @1% per day of the work order, provided that the entire amount of penalty shall not exceed 10% of the total amount of work order. The work will be deemed to be completed on the day when 100 % Supply/work is handed over to the indenter (in case of supply in installments) and its installation is done. An appeal against these orders shall, however, lie to the Vice Chancellor whose decision shall be final.

8. Rejection of incomplete Quotations:

Incomplete quotations such as unsigned quotations, late submitted quotation, conditional quotation, quotation not confirming to the eligibility criteria and Technical specification or with any vague term such as Extra as applicable, will be considered as rejected.

9. Quantity Variation:

The quantity shall be subject to increase or decrease or deleted as the case may be.

10. Manual/literature:

The detailed literature/catalogue of the quoted instrument and its accessories should also be attached with the quotation. The specifications claimed by the firm should be clearly mentioned in the literature/catalogue also. Its manual should be supplied with the equipment.

11. Taxation:

GST /Custom duty etc. indicating the rate of taxes, should be quoted independent of the ex-works price of the item and it will be paid as applicable under Government rules, if so quoted by the Supplier in the quotation, subject to the certificate in the bill as follows. "Certified that the GST/Custom duty charged in this bill is leviable under Government Rules". In the absence of any indication to taxation by the supplier, it is to be assumed that the price includes tax elements and no claim for the taxes or statutory variations thereon should be entertained after opening of quotation. However, wherever exemption from GST/custom duty is applicable, the University will provide the exemption certificate, along with supply/work order itself. In case of imported goods the custom clearance is to be arranged by the supplier at his own level Charges, if any, in this regard, however, need to be mentioned accordingly in the quotation itself. University will provide necessary documents for this purpose. In case the quotation is silent with regard to taxation and clearance charges etc, no such charges will be paid by the University.

12. Right to Bid rejection:

The University reserves the right to reject any or all offers at any stage without assigning any reason.

13. Packaging of Consignment:

The material should be packed in a strong case so as to avoid any damage, theft or pilferage in the transit, in which case the responsibility shall be that of the supplier.

14. Warranty:

The warranty should not be less than 12 months from the date of successful completion of work.

15. Performance Warranty:-

The successful bidders will be required to submit a performance warranty in the form of bank guarantee equal to 10% of the purchase order for the warranty period of the equipments/goods/work above Rs. 5,00,000/- from the date of successful installation/work completion. After receiving the 10% PBG, the EMD, if any, will be released/ returned to the firm by the intender of the department/office of university through Account Branch.

16. Payment:

The payment will be made within 30 working days of the successful handover & its inspection and further after the on-site training imparted, if it is the requirement of the quotation.

17. Currency:

The rates should be quoted in Indian Rupee (INR). However, in case of imported item it may be quoted in foreign currency where in the date of opening of quotation will be taken as the conversion date for bid evaluation and comparison purpose.

18. Schedule:

The quotation floating date is 26/06/2023. The sealed quotation should reach in the office of Registrar, Chaudhary Ranbir Singh University, Jind-126102 on or before 17/07/2023 up to 05:00 PM. The quotation will be opened on 19/07/2023 at 3:00 P.M. in the office of the Estate Officer, Chaudhary Ranbir Singh University, Jind. Interested bidders/ Quotationers and their authorized representatives are welcomed to present during opening of quotations. Quotation received after last date shall not be considered. Any type of delay like postage delay etc. shall not be considered by the University.

19. Water & Electricity:

Water and the electricity for the work will be provided by the University, rates to be quoted accordingly. The agency has to make its own arrangement to connect from the source provided by the University.

20. Site clearance:

The manufacturer firm/supplier/agency has to clear all the malba/debris from the site before the handover of the order/work.

21. Arbitration:

In case of any dispute both the parties will be bounded by the decision of the Vice Chancellor, CRSU, Jind as the arbitrator.

22. Jurisdiction:-

All disputes shall be subject to Jind Jurisdiction.

The terms & conditions of quotation have been read and I/We certify that I/We clearly understand the same and undertake for its compliance.

Place:

Dated:

Signature of authorized representative
of the bidding firm/company with seal.
(Affix Rubber Stamp of the firm)

Bill of Quantity

Sr. No.	HSR Item No.	Description of Item	Qty	Unit	Rates	Percentage
1	HSR 4.32	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50m and lift up to 1.5m.	29.23	Cum	46.44	
2	HSR 5.7	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
	5.7.4	In cement mortar	10.49	Cum	584.92	
3	HSR 5.29	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:				
	5.29.2	Of area beyond 3 sq. metres	4.97	Each	147.35	
4	HSR 5.45	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. (HSR 5.45)	76.65	Sqm	33.04	
5	HSR 6.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work below plinth level and up to Floor IV level:				
	6.1.7	1:5:10 (1 cement : 5 coarse sand (zone-III): 10 graded stone aggregate 40 mm nominal size)	10.49	Cum	2192.32	
6	HSR 7.21	Brick work with common burnt clay non-modular bricks of class designation 7.5 in foundation and plinth in: (HSR 7.21)				
	7.21.1	Cement mortar 1:4 (1 Cement: 4 Coarse sand)	10.44	Cum	3692.56	
7	HSR 9.57	Providing and fixing on wall face Unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. (HSR 9.57)				
	9.57.3	150 mm diameter	16.00	Meter	268.79	
8	HSR 10.7	Providing and laying of conglomerate floor 50mm thick cement concrete topping 1 :2:4	48.71	Sqm	216.11	
9	HSR 10.75	Laying 50mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over (BIS 15658: 2006) and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge. (HSR 10.75)	22.73	Sqm	114.30	
10	HSR 11.5	12 mm cement plaster of mix : (HSR 11.5)				
	11.5.3	1 : 4 (1 cement: 4 fine sand)	155.60	Sqm	83.94	
11	HSR 11.58	Providing and applying two coats white cement based putty of approved brand and manufacturer, over plastered surface and grinding the surface smooth with sand paper to get an even and smooth finish including cost	252.80	Sqm	32.15	

		and carriage of all material , labour charges, scaffolding, sundries etc. complete (HSR 11.58)				
12	HSR 11.64	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade: (HSR 11.64)				
	11.64.1	New work (two or more coats) over and including water thinnable priming coat with cement primer	212.25	Sqm	44.65	
13	HSR 11.95	Finishing walls with Acrylic Smooth exterior paint of required shade : (HSR 11.95)				
	11.95.1	New work (Two or more coat applied @ 1.67 litre/ 10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/ 10 sqm)	106.93	Sqm	87.51	
14	HSR 21.87	Constructing brick masonry road gully chambers as per standard drawings(as per sizes given below) including dressing of beds and sides of chambers to exact profiles, 15cm thick lime concrete 16:24:100 (as per specified in item No.10.6) in foundations 1st class brick work laid in cement sand mortar 1 :5, 40 mm thick cement concrete 1 :2:4 topping inside the chamber with a floating coat of 1.5mm thick neat cement laid in one operation to the topping, the entire inner surface of the chamber rendered with neat cement not less than 12mm in thickness of 1 :2 cement sand plaster and finished with floating coat of neat cement 1 mm thick left absolutely smooth polished and correct to templates including labour for fixing the C.I. road gully grating and frame including painting with coal tar (as Specified in item No. Item 21.48) complete to the requirement of the Engineer in-charge (HSR 21.87)				
	21.87.1	Single road gully chamber				
	21.87.1.1	Size: 610mm x 457mm x 800mm	1.00	Each	3237.13	
15	HSR 30.28	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : (HSR 30.28)				
	30.28.1	One or more coats on old work	20.46	Sqm	38.40	

Note: (i) Extra item if any shall be considered on the basis of HSR 2021 at quoted rate percentage.
(ii) The agency/firm shall quote the rate including GST, Freight & other taxes, etc.

The terms & conditions of quotation have been read and I/We certify that I/We clearly understand the same and undertake for its compliance.

Place:

Dated:

Signature of authorized representative
of the bidding firm/company with seal.
(Affix Rubber Stamp of the firm)